



{Wet/Dry Vacuum}

# 9 Gallon

Designed for dependability, stackability, durability and ease of operation, this economical unit comes with industrial-quality features.




**Lifetime warranty on canister**

MV-900-OMEV

**Additional Features:**

- ✓ Two-stage blower motor for longer life
- ✓ Self-cooling motor design
- ✓ Quiet operation
- ✓ Exhaust air ducting reduces the possibility of motor contamination by dirt or moisture
- ✓ 25-foot electrical cord
- ✓ Electrical cord wrap
- ✓ Recessed wheels and clamps
- ✓ Stackable design for easy storage
- ✓ CSA certified



*Electrical system is double-protected*

*Wet and dry filter (no conversion necessary)*

*High impact poly construction canister*

*Industrial grade caster wheels with plates*

**Specifications:**

<b>Model #</b>	<b>MV-900-OMEV</b>
<b>Motor</b>	120V Two-stage bypass
<b>Horsepower (Cont.)</b>	1.3
<b>CFM</b>	101
<b>Waterlift</b>	87 in.
<b>Capacity</b>	9.0 gallons
<b>Water recovery</b>	6.0 gallons
<b>Amps</b>	7.5
<b>Dim. (LxWxH)</b>	14in.x14in.x22in.
<b>Shipping weight</b>	36 lbs.
<b>Net weight</b>	25 lbs.

**Each unit includes:**

- ✓ 1 1/4-inch x 10-foot hose with inlet cuff
- ✓ 14 1/4-inch curved plastic wand
- ✓ 2-piece aluminum/plastic extension wand
- ✓ 12-inch combination floor tool
- ✓ 8 1/2-inch crevice tool
- ✓ 12-inch commercial squeegee tool
- ✓ Cartridge filter
- ✓ 1-paper filter bag (replacement bags sold in packs of 5)



**33919 Hwy 99 E  
Tangent, OR 97389  
1-800-835-1328**



**A. Suction Hose with Inlet Cuff**

**15-0241**

- 1 1/4-inch x 10-foot hose with inlet cuff

**B. Curved Plastic Wand**

**16-0403**

- 14 1/4-inch
- Connects hand tools to hose

**C. Inlet Cuff**

**50-0178**

- For bulk hose; to connect to vacuum

**D. Suction Hose - Bulk**

**15-0242**

- 1 1/4-inch hose without fittings
- Sold by the foot

**E. Aluminum/Plastic Extension Wand**

**16-0402**

- 2-piece
- Plastic wand with aluminum inserts

**F. Cartridge Filter**

**19-0221**

- Hydrophobic media for wet and dry use

**G. Paper Filter Bag**

**19-0222**

- 5 per pack
- Disposable; for dry use only
- Recommended for fine dusts

**H. Commercial Squeegee Tool**

**33-0410**

- 12-inch high impact plastic
- Connects directly to extension wand

**I. Combination Floor Tool**

**33-0411**

- 12-inch high impact plastic
- Connects directly to extension wand

**J. Crevice Tool**

**33-0412**

- 8 1/2-inch high impact plastic
- Connects directly to curved plastic wand

**K. Dusting Brush**

**33-0422**

- 2 1/2-inch nylon brush
- High impact plastic
- Connects directly to curved plastic wand



1. Electrical cord wrap
2. Electrical system is double-protected
3. Two-stage blower motor for longer life
4. Stackable design for easy storage
5. Wet and dry cartridge filter (no conversion necessary)
6. 25-foot electrical cord
7. Disposable paper filter bag (for dry use only)
8. 1 1/4-inch x 10-foot suction hose with inlet cuff

9. 8 1/2-inch crevice tool
10. 14 1/4-inch curved plastic wand
11. Aluminum/plastic extension wand
12. 12-inch commercial squeegee tool
13. 12-inch combination floor tool
14. Industrial grade recessed caster wheels with plates
15. High impact poly construction canister
16. Recessed clamps



{Wet/Dry Vacuums}

# 13/18 Gallon

A popular choice in the quick-lube industry, these dependable vacuums are designed for professional use and offer reliability, stackability and ease of operation.

**Lifetime warranty on canister**



MV-1300-OMEV

MV-1800-OMEV

**Additional Features:**

- ✓ Two-stage blower motor for longer life
- ✓ Self-cooling motor design
- ✓ Quiet operation
- ✓ Exhaust air ducting reduces the possibility of motor contamination by dirt or moisture
- ✓ 25-foot electrical cord
- ✓ Electrical cord wrap
- ✓ Recessed wheels and clamps
- ✓ Stackable design for easy storage
- ✓ Filter efficiency 99.5% to 1.0-micron (optional HEPA filter 99.7% efficient to 0.3-micron)
- ✓ Eliminates airborne particles through exhaust
- ✓ CSA certified


**Specifications:**

Model #	MV-1300-OMEV	MV-1800-OMEV
Motor	120V Two-stage bypass	120V Two-stage bypass
Horsepower (Cont.)	1.3	1.6
CFM	115	120
Waterlift	93 in.	102 in.
Capacity	13.0 gallons	18.0 gallons
Water recovery	9.0 gallons	13.0 gallons
Amps	6.9	8.3
Dim. (LxWxH)	22in.x18in.x28in.	27in.x19in.x31in.
Shipping weight	50 lbs.	55 lbs.
Net weight	38 lbs.	44 lbs.



**Each unit includes:**

- ✓ 1½-inch x 10-foot hose with inlet cuff
- ✓ 2-piece aluminum extension wand
- ✓ 14-inch commercial squeegee tool
- ✓ 12-inch combination floor tool
- ✓ 10¾-inch crevice tool
- ✓ 5-inch upholstery tool
- ✓ Cartridge filter
- ✓ 1-paper filter bag (replacement bags sold in packs of 10)



Electrical system is double-protected

Wet and dry filter (no conversion necessary)

High impact poly construction canister

Industrial grade polyolefin wheels with stainless-steel shafts

Drain outlet

**Options:**

**VX-0001 Fast Lube/Quick Lube option** - This option includes 25-foot of 1½-inch crushproof vacuum hose, 10 disposable paper filter bags (#19-0610), crevice tool (#33-0326) and suction hand tool (#33-0371)  
 (Note: This option will remove the 2-piece aluminum extension wand (#16-0391), combination floor tool (#33-0360), commercial squeegee floor tool (#33-0359) and the upholstery tool (#33-0327) that comes standard with vacuum)

Model #	VX-0001
All Models	●

**33919 Hwy 99 E  
Tangent, OR 97389  
1-800-835-1328**

## {Accessories}

### Wall Bracket Kit

#### AW-9500-0000

Our wall mount bracket kit allows for a permanent work cleaning station. Save space by mounting vacuum to the wall.



1. 25-foot electrical cord
2. Electrical cord wrap
3. Electrical system is double-protected
4. Two-stage blower motor for longer life
5. Stackable design for easy storage
6. Wet and dry cartridge filter (no conversion necessary)
7. Disposable paper filter bag (for dry use only)
8. 1½-inch x 10-foot crushproof suction hose
9. 10¾-inch crevice tool
10. 5-inch upholstery tool
11. 14-inch commercial squeegee tool
12. 2-piece aluminum extension wand
13. 12-inch combination floor tool
14. Industrial grade recessed polyolefin wheels with stainless-steel shafts
15. Drain outlet
16. Recessed clamps
17. High impact poly construction canister

### Accessory Bag & Hose Hanger

#### AW-9500-0001

Fits both 13- & 18-gallon vacuums. Vacuum hose hanger attaches to top handle. Vacuum accessory bag holds two-piece wand assembly and standard floor and hand tools.



### Exclusive "Hydro" Flow Filter (#19-0230)


#### For Wet and Dry Applications!

##### Designed for Continuous Water Pick-up

- ✓ Will not clog or deteriorate
- ✓ Retains maximum air flow
- ✓ Completely washable
- ✓ Water resistant

##### 99.5% Efficient to 1.0-Micron

- ✓ 1.0-micron rating prevents drywall dust from damaging motor
- ✓ Eliminates airborne particles through exhaust



### HEPA Filter (#19-0234)

#### High Efficiency Particulate Air

Recommended for fine dust and clean room applications

- ✓ Will not clog or deteriorate
- ✓ Retains maximum air flow
- ✓ Completely washable
- ✓ Water resistant

##### 99.7% Efficient to


##### 0.3-Micron

- ✓ 0.3-micron rating captures solid particulates, not allowing them back into the air



### Hose Adapter Kit (#852-0156)

#### For when you need extra hose length



- How to attach the hose connection kit:**
- A = Suction Hose (#15-0223) sold per foot
  - B = Tapered Cuff End (#50-0167)
  - C = Inlet Fittings (2-qty.) (#50-0169)
  - D = Hose Connector (1-qty.) (#50-0168)

### Fast Lube/Quick Lube Option

#### VX-0001

This option includes 25-foot of 1½-inch crushproof vacuum hose, 10 disposable paper filter bags (#19-0610), crevice tool (#33-0326) and suction hand tool (#33-0371).

*[Note: This option will remove the 2-piece aluminum extension wand (#16-0391), combination floor tool (#33-0360), commercial squeegee floor tool (#33-0359) and the upholstery tool (#33-0327) that comes standard with vacuum]*





\*Tools sold separately

### A. Suction Hose and Hose Fittings

- 15-0207** (Suction hose)
  - 1 1/2-inch x 10-foot crushproof hose
- 15-0223** (Suction hose - bulk)
  - 1 1/2-inch crushproof hose without fittings
  - Sold per foot
- 50-0167** (Tapered cuff end)
  - Hose fitting - connects hose to wand or to hose connector
- 50-0168** (Hose connector)
  - Hose fitting - connects tapered cuff to hose extension
- 50-0169** (Inlet fitting)
  - Hose fitting - connects hose to vacuum
- 852-0156** (Hose adapter kit)
  - Includes (2) inlet fittings and (1) hose connector

### B. Aluminum Extension Wand

- 16-0391**
  - 2-piece; friction fit
  - Chrome-plated

### C. Cartridge Filter

- 19-0230**
  - Hydrophobic media for wet and dry use
  - Completely washable
  - Filters to 1.0-micron

### D. High Efficiency Particulate Air (HEPA) Filter

- 19-0234**
  - 99.7% efficient to 0.3-micron
  - Recommended for fine dust and clean room applications

### E. Paper Filter Bags

- 19-0610** (10 per pack)
  - Disposable; for dry use only
  - Recommended for fine dusts

### F. Cloth Filter Bag

- 19-0611**
  - Reusable; for dry use only
  - Machine washable

### G. Crevice Tool

- 33-0326**
  - 10 3/4-inch high impact plastic
  - Connects directly to hose

### H. Upholstery Tool

- 33-0327**
  - 5-inch width; serrated edge
  - High impact plastic
  - Connects directly to hose

### I. Dusting Tool

- 33-0328**
  - 2 3/4-inch nylon brush
  - High impact plastic
  - Connects directly to hose

### J. Commercial Squeegee Floor Tool

- 33-0359**
  - 14-inch with replaceable rubber blades
  - High impact plastic
  - Connects directly to extension wand

### K. Combination Floor Tool

- 33-0360**
  - 12-inch with adjustable brush height
  - High impact plastic
  - Connects directly to extension wand

### L. Commercial Nylon Brush Floor Tool

- 33-0361**
  - 14-inch with nylon brush insert
  - High impact plastic
  - Connects directly to extension wand

### M. Power Floor Tool

- 33-0362**
  - 10 3/4-inch, air powered, belt drive
  - High impact plastic
  - Connects directly to extension wand

### N. Suction Wand Tool

- 33-0364**
  - 4-inch; high impact plastic
  - Connects directly to extension wand

### O. Suction Hand Tool

- 33-0371**
  - 4-inch; high impact plastic
  - Connects directly to hose

### P. Vacuum Bag Liner

- 19-0235**
  - Fits inside canister to keep filter cartridge clean (dry use only - do not use with paper filter bag)

### Q. Accessory Bag & Hose Hanger

- AW-9500-0001**
  - Fits over handle to store tools and hose
  - Made from 600-denier vinyl-backed polyester
  - Easy to clean with soap and water

### -- Replaceable Rubber Blades (not shown)

- 33-0397** (Front blade)
- 33-0398** (Back blade)
  - Fits commercial squeegee floor tool (#33-0359)